



The design engineer shall check off the boxes from the list of company's standardized field observation checklists below that he will need to upload on to his tablet computer prior to heading out to the construction site to complete the final HVAC inspection and punchlist. These checklists will be touchscreen-type. When the engineer returns to the office, or he sends the completed checklists

via the internet to the office, the completed checklists shall be automatically downloaded to the company's computer server and placed in the job folder's "Project Closeout" section. The completed checklists, along with associated digital photographs taken at the time of the field visit, will be electronically sent to the following individuals and departments.

TEAM CORRESPONDENCE DIRECTORY CHECKLIST

(Check the appropriate boxes)

- Owner Owner Representative IPD Lead Engineer
 Construction Manager General Contractor Design-Build Contractor Hospital's Facility Manager HVAC Subcontractor
 ATC Subcontractor Electrical Subcontractor Plumbing Subcontractor Fire Protection Subcontractor ATC Subcontractor Architect State Energy Department ASHRAE
 Piping Subcontractor Sheet Metal Subcontractor Third-Party CxTAB Consultant Third-Party Infection Control Consultant
 Equipment Manufacturers Building Inspector
 Others: *(insert list)* _____

HVAC CONTRACT SPECIFICATION CHECKLIST

- Division 1 Project Closeout Telecommunication Equipment
 Owner-Furnished Equipment Structural Electrical
 Plumbing Fire Protection HVAC Infection Control
 ATC ACC Units Pumps Fans Air Handlers Terminal Filter Units Piping System Sheet Metal System TAB
 Commissioning Others: _____

HVAC CONTRACT DRAWING INSTALLATION CHECKLIST

- Division 1 Project Closeout Telecommunication Equipment
 Owner-Furnished Equipment Structural Electrical

- Plumbing Fire Protection HVAC System Infection Control
 ATC ACC Units Pumps Fans Air Handlers Terminal Filter Units Piping System Sheet Metal System TAB
 Commissioning Others: _____

HVAC STARTUP CHECKLIST

- Division 1 Project Closeout Telecommunication Equipment
 Owner-Furnished Equipment Structural Electrical
 Plumbing Fire Protection HVAC System Infection Control
 ATC ACC Units Pumps Fans Air Handlers Terminal Filter Units Piping System Sheet Metal System TAB
 Commissioning Others: _____

COMMISSIONING FPT (Functional Performance Test)

- Division 1 Project Closeout Telecommunication Equipment
 Owner-Furnished Equipment Structural Electrical
 Plumbing Fire Protection HVAC System Infection Control
 ATC ACC Units Pumps Fans Air Handlers Terminal Filter Units Piping System Sheet Metal System TAB
 Others: _____